

“participation” (VCPS from the Brazilian name *Vocabulário Comum de Participação Social*) was proposed as a joint effort of Latin America academic, civil and governmental groups¹¹. Although started in 2012, a recent initiative for ontological developments, it already yielded relevant material, including a public preliminary OWL ontology with a concise taxonomy. Also important are the reference documents reporting results from a first working phase, from July to December, 2012. As stated by the community, VCPS was propelled by three goals: 1) to ease adoption of the vocabulary; 2) to stimulate the creation of public tools to understand, visualize and summarize how participation is happening; 3) to meet the need of participatory initiatives to open and link their data.

It is important to notice that VCPS, an ontology, was called a *vocabulary* both to ease understanding of the general public and because it started as a vocabulary. The present article presents the “Ontology of Social Participation” (OPS from the Brazilian name *Ontologia de Participação Social*), based on VCPS, in which the term *vocabulary* was substituted by the term *ontology* for the following reasons:

- The usage of the word “vocabulary” can lead to confusion in some situations as OPS is an OWL ontology (not, for example, a SKOS vocabulary).
- Documentation seems inconsistent when an ontology is repeatedly called a vocabulary.
- OPS is, in fact, an ontology, with a vocabulary, a taxonomic organization and properties further relating the terms.
- This coherent naming is a prerequisite for academic acceptance and further formal adoption by government instances, such as the Brazilian Federal Portal of Open Data¹² and the Brazilian Federal Portal of Social Participation¹³.

Also, the term *common* was dropped when OPS was conceived, as the term is redundant for an ontology. The VCPS presented other difficulties, such as missing classes, incorrect URI specifications (containing spaces), some logical flaws, and unnecessary out-of-standards restrictions. This were all solved within OPS (to the extent authors were able to, of course).

Next section is dedicated to an inspection of the documents delivered by the VCPS: reference textual documents, images, OWL code, blog posts, discussions and Etherpads. Section III presents OPS: modifications made from VCPS to OPS: class and property names and labels, class restrictions and property axioms. Section IV is dedicated to OPS usage: dereferencing, sparQL queries, a toy OPS expansion, discursive example of usage, and use cases from government, civil society and academic parties. Concluding remarks are stated with future work, in Section V.

II. VCPS ORIGINAL DOCUMENTATION

From April to December, 2012, VCPS was first conceived. In the online process, as registered by Corais platform, 66 users interacted, 6 of them were the most active¹⁴. Various materials were produced both as activity traces and as reference media. This section is dedicated to these materials.

A. Reference textual documents

The main documents are:

- “Commented methodology”¹⁴: this document describes the public process of VCPS conception. It is composed by brief inspections of forum topics, pointing both pertinent characteristics of the online collective process and ontological observations (about classes and properties). Considerations are made about tightening relations with the Open Government Partnership (OGP), an international initiative to foster transparency and open practices in governments worldwide¹⁵, and the Brazilian formal action plan, as means to achieve ontology usage. There is also a proposal of a systematic study of electronic government initiatives, so that the VCPS might be better contextualized. This document ends by proposing an agenda of meetings with academics, entrepreneurs and government parties.
- “Conceptual modeling, version 0.1 (in natural language)”¹⁶: this document is a description, in common English, of the VCPS. The introduction is mainly a collage of the document above¹⁴. Both the itemized description of the ontology, and the considerations for its usage, are of great value as reference. Figure 2 is heavily influenced by a diagram related to this document and further described in Section II B.

B. Images

There are various images associated with the ontology¹⁷, most notably:

- Various proposals for the VCPS logo, some of which are in Figure 1.
- Figure 2 shows an English and completed version of the original diagram of OPS in the document¹⁶. For completeness of exposition, the original diagram is in Appendix D, Figure 8.
- A diagram for general public consultations. Given the details and the pertinence of public consultations for OPS, the diagram is exposed in Appendix B and Figure 7.



FIG. 1. Some of the various logos for of the VCPS. (a) is a colored text logo proposal; (b) is a figurative logo; (c) is mixture of both ideas. It can be seen that these logos were conceived for the ontology when it was called a *vocabulary*. Community documents reflect this nomenclature, which is being changed with this article and subsequent work with OPS advent.

C. OWL code of VCPS

The OWL code of VCPS is online¹⁸ and deprecated by OPS advent. The VCPS OWL code did not contain all relation from Figure 2 (or Figure 8). This is directly addressed in Section III, which exposes the implementation of all relations in the OPS, including VCPS OWL corrections and adjustments to best practices. The complete and correct OPS is further contextualized in Section IV.

D. Blog Posts

The VCPS blog aggregates both important discussions and documents in no more than twenty posts to date. All OWL code, final documents, public consultations, mental map and images are posted in the blog¹⁹. The first post if from July 24, 2012. Last post about VCPS is from May 7, 2013. Most blog posts are from the first day (almost half of them). They received more than twenty commentaries. Two “out-of-season” blog posts, one from August 9, 2012 and another from October 22, 2012, separate first day posts from last posts. Both have about ten commentaries. Last blog posts occurred as a few days burst and a final message, a month after.

There are three more recent blog posts, from November and December, 2013. But these already address OPS conception from VCPS.

E. Discussions and etherpads

Besides blog registries of collective elaborations, four Etherpads were written²⁰ (these are interfaces that allows writing online texts with multiple simultaneous contributors²¹):

- A pad for important words.
- A pad dedicated to a second phase of VCPS elaboration, which did not happen yet.

- A pad for process documentation. It became the first document described in Section II A.
- A pad for both vocabulary specification and “questions not addressed to in the webinar”.

III. OPS: THE ONTOLOGY OF SOCIAL PARTICIPATION

This section makes considerations about OPS label standardization and implemented classes, properties and restrictions. Features present in Figure 2, but not present in VCPS, are fully described in Section III A. Examples of usage are addressed in Section IV.

A. Standardization and exhibition of implemented features

Without explicit criteria, VCPS URI was <http://lumii.lv/ontologies/Corais.owl>. OPS URI was chosen to be <http://purl.org/socialparticipation/ops> for the following reasons:

- This URI is directly related to the ontology name (OPS).
- This URI, also an URL, is independent from government and other political associations. This is important to coalesce interested parties: the Brazilian Federal Social Participation Portal¹³, Brazilian government repository of vocabularies and ontologies²², academic groups, NGOs, and non-organized civil society.
- Derived URIs, when reached via HTTP, can be redirected to where current documentation is held, as it is hosted by <http://purl.org>.

Labels in the languages of interest should be written in label fields. Even so, OPS class names should be friendly to users, bearing the attention not to take the class name as the label or as a meaning restriction.

For standardization, all classes are written in Camel-Case²³ in plain English to ease internationalization, adoption and maturation. Labels are written in Portuguese, English and Spanish. Therefore, class names changed, receiving respective labels (`rdfs:label`) in each language and a textual short explanation (`rdfs:comment`) in English. Table I exhibits all classes is OPS.

OPS property names fit headlessCamelCase²³ format, are readable in English (to ease internationalization, adoption and maturation), and some of them have defined domains and ranges. Table II is dedicated to OPS properties, with labels in English, Portuguese and Spanish.

In the first versions of OPS, all properties yielded existential restrictions, except `ops:hasParticipationCharacteristic`. Although




FIG. 2. Diagram representation of the Ontology of Social Participation (OPS). Arrows with white heads indicate “is a” relations (subclass points to superclass). Arrows with black heads indicate property relations from subject to object. All property relations yield existential restrictions, with the exception of the “has characteristic” property, that does not yield restriction. Upper ontologies BFO and FOAF are asserted through color (BFO) and dashed boxes (FOAF).

such efforts were aimed at handling a better defined OPS, further developments and discussions revealed that these restrictions made OPS rigid, a bit more complicated, and was not of much help, at least in this stage of OPS development and adoption. The result is that all restrictions were removed. Appendix A and Table IV exhibit all dropped OPS restrictions.

An inspection of VCPS also yielded a contradiction present in Figure 8: a role cannot execute, initiate or support a cause. These are done by the social actor. Therefore, to maintain VCPS directions and obtain a sound ontology, `ops:Role` was removed from OPS in preliminary versions. The result can be seen directly in Figures 2 and 3.

A comparison of the VCPS OWL code²⁴ with the diagram in Figure 8, which reflects official VCPS documentation, revealed that a class, two properties and three restrictions were not implemented. These were fully implemented in OPS before all restrictions were removed. These are the missing class and properties (restrictions missing in VCPS and implemented in preliminary OPS ver-

sions are exposed in Appendix A):

- Class: `ops:ParticipationCharacteristic`.
- Property: `ops:hasRole`.
- Property: `ops:composesSolution`.

OPS is available online²⁵. To ease navigation of the ontology by interested parties, it is also available in the Webprotege interface²⁶. The diagram of OPS taxonomic structure is exposed in Figure 3.

Upper ontologies usage with OPS is under development and should receive a dedicated article, as possibilities should be inspected carefully. Pertinent and already used as upper ontologies for OPS are FOAF²⁷ (for linking and describing people and things they do) and BFO²⁸ (“designed for use in supporting information retrieval, analysis and integration in scientific and other domains” as stated on their documentation). Properties were not related to upper ontologies as reasonable relations are still being searched for. Table I exposes OPS classes and respective upper ontologies classes.

Figure 2 is a complete diagram of current OPS: classes, properties and relations to FOAF and BFO. Actually, Figure 2 is more informative than OPS OWL code, as restrictions were removed and not all properties have defined domain and range. Therefore, the diagram is the remaining source of relations envisioned by OPS creators.

TABLE I. Classes of the OPS (Ontology of Social Participation). These are core concepts in the ontology. Along with the taxonomic structure exposed in Figure 3, these classes are related by the properties in Table II. Noteworthy is VCPS class name “vcps:Espaço de Ação”, which caused original VCPS OWL to be pointed as corrupted by Protégè (spaces are not allowed in URIs). Also, class vcps:Role was dropped as it yields logical problems in VCPS.

OPS class name	VCPS class name	pt-br label	es label	en label	definition	upper ontology classes
Person	Pessoa	Pessoa	Persona	Person	a person (social actor is a person)	bfo:’Material Entity’, foaf:Person
Organization	Organizacao	Organizaçã	Organización	Organization	social actor is a group of individuals, organized formally or informally (e.g. movements, collectives)	bfo:’Material Entity’, foaf:Organization
Executor	Executor	Executor	Ejecutor	Executor	performs action directly and is responsible for results	bfo:’Material Entity’
Initiator	Iniciador	Iniciador	Iniciador	Initiator	originates cause, individually or collaboratively	bfo:’Material Entity’
Supporter	Apoiador	Apoiador	Apoyador	Supporter	supports cause with resources of any kind (e.g. cognitive, financial, equipments)	bfo:’Material Entity’
SocialActor	Ator	Ator Social	Actor Social	Social Actor	entity that might have a participatory role	bfo:’Material Entity’
Participation-Characteristic	NivelDe-Participacao	Característica de Participação	Característica de Participación	Participation Characteristic	the way the participation of the specific actor is happening	bfo:’Dependent Continuant’
Cause	Causa	Causa	Causa	Cause	the motivation for Action	bfo:’Dependent Continuant’
Scope	Espaço de Ação	Escopo	Ambito	Scope	the scope os Action	bfo:’Dependent Continuant’
Result	Resultados	Resultado	Resultado	Result	the result obtained with action	bfo:’Dependent Continuant’
Solution	Solucao	Soluçã	Solución	Solution	solution achieved with Action	bfo:’Dependent Continuant’
Problem	Problema	Problema	Problema	Problem	the problem that the Action aims to solve	bfo:’Independent Continuant’
Theme	Tema	Tema	Tema	Theme	the theme in focus by Action	bfo:’Independent Continuant’
Action	Acao	Açã	Acción	Action	what is done in terms os social participation	bfo:’Processual Entity’
dropped class	Papel	-/-	-/-	-/-	the role of the actor	-/-

TABLE II. Properties of the OPS (Ontology of Social Participation) along original VCPS names. Only a few ranges were established, and no domain, as these were not currently useful and, without them, OPS can be used more freely.

OSP property name	CVSP property name	pt-br label	es label	en label	domain	range
theme	possuiTemaAssociado	tema	tema	theme	-/-	Theme
belongsTo	pertenceAoEspaco	pertence ao	pertence al	belongs to	-/-	Scope
action	possuiAcao	açã	acción	action	-/-	Action
supports	apoiaCausa	apoia	apoya	supports	-/-	-/-
contributesTo	compoeSolucao	contribui para	contribuye para	contributes to	-/-	-/-
executes	executaAcao	executa	ejecuta	executes	-/-	-/-
generates	geraCausa	gera	genera	generates	-/-	-/-
starts	iniciaCausa	inicia	inicializa	starts	-/-	-/-
solves	soluciona	soluciona	resuelve	solves	-/-	-/-
produces	produzResultado	produz	produce	produces	-/-	-/-
proposes	propoeSolucao	propõe	propone	proposes	-/-	-/-
trait	temNivelDeParticipacao	traço	rasgo	trait	-/-	-/-
dropped	temPapel	-/-	-/-	-/-	-/-	-/-




FIG. 3. A taxonomic tree of the Ontology of Social Participation (OPS). This image was rendered inside Protégè, with the OWL code in Appendix C. Figure 2 is more informative, but this diagram is more standard and might be simpler for the newcomer. Note that the taxonomic tree does not present any information about properties further linking these classes. The prefixes **snap:** and **span:** are BFO specific for **snapshot** and **spanning-time**.

IV. OPS UTILITY

OPS is meant to be useful. First, as a systematization of what is social participation to Latin America groups, as conceived by VCPS. Second, as a mean to ease linked data, and enable integration of various instances for social participation. An indicative of this pertinence is Opa, OCD, Ontologiaa, and OBS, ontologies that already uses OPS as upper ontology²⁹.

This section explores different OPS uses: dereferencing, sparQL queries, expansion, discursive fictional cases, and real use cases.

A. Usage of OPS through dereferencing

All OPS classes and properties URIs are accessible via HTTP. A Pubby instance delivers information like name, labels and relations to other classes and properties. As an example, the URI <http://purl.org/socialparticipation/ops/SocialActor> returns information about this class and all subclasses it is related to, as shown in Figure 4.

Property	Value
rdfs:comment	entity that might have a participatory role (en)
rdfs:label	<ul style="list-style-type: none"> Actor Social (es) Ator Social (pt) Social Actor (en)
is rdfs:subClassOf of	<ul style="list-style-type: none"> ops:Executor ops:Initiator ops:Organization ops:Person ops:Supporter
rdfs:subClassOf	<http://www.ifomis.org/bfo/1.1/snap#MaterialEntity>
rdf:type	<ul style="list-style-type: none"> rdfs:Class owl:Class

FIG. 4. Dereferencing an OPS class: the URI is also an URL, which, reached by HTTP, returns information for the user as shown. Also, if the client is not a browser, but a crawler or a linked data application, Pubby delivers plain RDF, not user-friendly HTML.

B. Usage of OPS through a SparQL endpoint

Linking multiple databases is an OWL technology core purpose. The standard way to access these data via ontologies is by using a sparQL endpoint. This endpoint delivers data from a triplestore (collection of RDF triples) or, with more experimental technology, from relational database systems, such as a MySQL server (e.g. via OnTop/Quest³⁰). Either way, the query is the same: the user or machine reaching the endpoint uses the sparQL




FIG. 5. Scheme of the common use of ontologies for multiple databases integration. A user or application reaches a sparQL endpoint. This endpoint, through ontologies, delivers data from one or more databases. Nowadays, the most usual is to find only one database available at an endpoint, and this database is usually duplicated and not synchronized, but available as a (converted) triplestore. Even so, it is possible to access multiple ontologies and it is desirable that the databases have synchronous access, i.e. without need to convert data to triples beforehand.

protocol in order to retrieve information through semantic criteria. Figure 5 is a schematic representation of OBDA (Ontology Based Database Access), which is a common name for this multiple database access through ontologies.

Some examples of this usage can be given by sparQL queries and concise explanations:

- `"select ?s ?s2 ?s3 where {?s a ops:SocialActor . ?s2 a ops:Person . ?s3 a ops:Organization}"`: this query retrieves all social actors (returned in variable ?s), be each a person, an organization, or something else; retrieves all persons (variable ?s2); and retrieves all organizations (?s3). In a similar manner, one can retrieve all roles played, all executers, all initiators and all supporters.
- `"select ?s ?o where {?s ops:starts ?o}"`: this query retrieves all causes (?o) and their initiators (?s) or whatever use is being done of the ops:stars property.
- `"select ?s ?s2 ?o ?o2 where {?s a ops>Action . ?s ops:belongsTo ?o . ?s2 ops:executes ?s . ?s ops:produces ?o2}"`: this query retrieves all actions (?s) along their Action Field (?o), their Executer (?s2) and their Results (?o2), or whatever use is being made of there OPS classes and properties.

Noteworthy is that while `opa:Participant` can be used to retrieve all Participa.br participants, `ocd:Participant` can be used to retrieve all Cidade Democrática participants, and `aa:User` can be used to retrieve all AA participants; their upper ontology class `ops:SocialActor` retrieves all of them and relates these entities directly to the class of generic actors of social participation processes²⁹.

C. OPS expansion

OPS matches VCPS online documentation¹¹. As an example of additional classes, an expanded OPS ontology is exposed in this section and is uploaded to webprotege³¹. Table III is dedicated to these additional classes while Figure 6 presents the resulting taxonomic structure.

The property `ops:receivesFrom` was also added and has an inverse: `ops:SocialActor ops:paysTo ops:Executor`. Also, the `ops:DownloadedMod` class is a defined class by the existential restriction: `ops:Mob ops:convoquedBy ops:Network`, with a newly defined property `ops:convoquedBy`.

This is one of the numerous ways by which OPS might deal with further classes, properties and restrictions. This particular expansion was chosen as an example by direct observance of VCPS documentation and recent social affairs, such as the Brazilian protests.

D. Fictional examples of usage

OPS usage might not be obvious at first. How is data linked? How is field knowledge organized? Why and by whom? Core principles of these OPS utilities, can be understood by the following observations:

- Different participation instances have social actors, actions being developed, organizations involved, problems being tackled, etc. These can yield one consistent database by means of OPS usage.
- One can understand and share the mutually exclusive nature of being a paid or a voluntary contributor by observing the expanded version of OPS (see Section IV C). Also, noticing the fact that a mob can be very big or not, and that it can be convoked or not by a Network, can make the field more neat for a newcomer or ease discussions and problematization for senior researchers or politicians.
- Other fields of human knowledge and practice also have agents, problems and so forth. These can be linked to participatory data and ontologies by means of OPS.

Fictional examples are useful to make these points clear:

- Suppose a public sparQL endpoint unifies several participation instances by means of OPS (we will see in Section IV E that this is not really fictional). Thus, the number of participants is publicly available (`!ops:SocialActor!`). Also, depending on the platforms involved, one can observe how many of these participants are individuals (`ops:Person`), how many are organizations (`ops:Organization`), and understand to which extent the corporative influence is explicit. One can observe how many of the participants are the same in each platform, and

what roles they take, and make assumptions about how much the society is really participating or if these processes are manipulated by a few agents (`ops:SocialActor`). One can also gaze upon the problems being discussed and which solutions are being proposed, therefore easing the sense of what is being considered important and valid as public discussions. This list of possibilities is endless, specially when OPS variations and expansions are considered.

- Suppose a person, say Jessica, has a new proposal for a participatory system that uses OPS. She can have a quite concise understanding of the concepts involved, and how they relate. She can now make very objective observations and deliver clear suggestions that relate directly to the systems used or envisioned. She can make an OPS variation or another ontology, as a way to confront paradigms.
- Suppose there is a system for exhibiting indicators about social participation (how effective it has been, how wide is the scope of interests, etc.). Instances that are integrated by OPS can be queried for information and, for example, this system registers any organization involved as a social actor. Also, reflecting the expanded OPS exposed above, the system registers any mob involved, whose incidence was recorded in the database as a `DownloadedMob`, as related to some social network (the network might be unknown).

E. Real use cases

OPS is a recent ontology. Even so, some real use cases can be pointed, from which are most notable:

- The UNDP/UN consultant contract 2013/00056, project BRA/12/018, was profoundly influenced by OPS²⁹. Within written products are other participatory ontologies, such as OPa, OCD, Ontologiaa and OBS, which relates directly to OPS. Also, some methods for analysing OPS related data and for resource recommendation were delivered. These developments were done by the computational physics researcher R. Fabbri (first author of the present article), in collaboration with other parties, specially the Brazilian General Secretariat of the Republic, University of Brasília researchers, and free software parties. Data from three participatory instances were triplified: Participa.br, AA and Cidade Democrática; all related to OPS. These linked data resources are available in sparQL endpoints and can be dereferenced, in a similar fashion as done for OPS. As these are all executed in research facilities, they might lack maintenance and should be kept by a dedicated team.




FIG. 6. A taxonomic diagram of an example expanded instance of OPS. ops:PaidExecutor is defined as being the subject of a ops:receivesFrom relation with a ops:SocialActor; ops:DownloadedMob is defined by being the subject of a ops:conqueredBy relation with a ops:SocialNetwork. OWL code is online for live editing³¹. The new classes added to OPS are in Table III

TABLE III. New classes considered for expansion of the OPS. The taxonomic organization of these classes, within OPS can be observed in Figure 6. Further information is in Section IV C.

new class	subclass of	description	further notes
SocialNetwork	Organization	a social structure made up of social actors (such as individuals or organizations) and a set of dyadic ties between these actors	-//-
FreeScaleNetwork	SocialNetwork	a network whose connectivity follows a power law	disjoint with UniformrandomNetwork and GeographicNetwork
ErdosRenyiNetwork	SocialNetwork	also known as Poisson network, this network sets, with equal propability, an edge between each pair of nodes	disjoint with FreeScaleNetwork and GeographicNetwork
GeographicNetwork	SocialNetwork	a network whose connectivity is related to the distance of nodes in a metric space	Disjoint with both FreeScaleNetwork and ErdosRenyiNetwork
SmallWorldNetwork	SocialNetwork	a network where most nodes can be reached from other nodes with few hops or steps	not disjoint with FreeScaleNetwork, ErdosRenyiNetwork and GeographicNetwork
InformalOrganization	Organization	an organization that is not formalized	disjoint with Intitution
Mob	InformalOrganization	a crowd of individuals	-//-
GiantMob	Mob	a crowd with more than 10,000 individuals	-//-
DownloadedMob	Mob	a Mob convoqued by a network	this is a defined class, by being a network and being the subject of the relation convoquedBy with object Network
Institution	Organization	a mechanism of social order that governs a set of individuals	disjoint with InformalOrganization
PublicInstitution	Institution	an institution backed through public funds and controlled by the state	disjoint with Private Institution
PrivateInstitution	Institution	an institution backed through private fundings and controlled by private parties	disjoint with PublicInstitution
AcademicInstitution	Institution	an institution dedicated to education and research, which grants academic degrees	-//-
NGO	Institution	a legally consituted corporation created by natural or legal people that operate independently from any form of government	-//-
SpuriousInstitution	Institution	an institution that holds prominent illegitimate or corrupt characteristics	-//-
ExoticInstitution	Institution	an institution that does not fit previous classes or is characterized by a very unique traces	-//-
VoluntaryExecutor	Executor	an executor that receives no formal reward for the tasks	disjoint with PaidExecutor
PaidExecutor	Executor	an Executor that receives formal reward for the tasks accomplished	a defined class, being an Executor and the subject of a receives-From predicate with SocialActor as object

- Another UNDP/UN contract was responsible for some advances in information technologies. A special case is a dedicated OPS expansion³².

(serpro) is triplifying Participa.br data (the Brazilian federal social participation portal). Is this process, they as making direct use of OPS³³.

- The Brazilian Federal Data Processing Service

- The linked data Brazilian community had some ma-

turing related to OPS beyond the ontologies developed, UNDP/UN documentation, Serpro triplication, and VCPS. Interested government, civil society and academic parties circulated OPS documentation for conceptual and technological goals^{34,35}.

V. CONCLUDING REMARKS AND FUTURE WORK

OPS, based in VCPS, yields initial steps in achieving an effective social participation ontology: community has registered activities and delivered reference documents, including this article. Sections III and IV have expansion directions for the ontology, regarding uses, further definition of classes, upper ontologies and related ontological structures.

On the practical side, the use of this ontology or related developments for the Brazilian federal participation portal (Participa.br¹³) is a desirable reality, as it implies usage and good maintenance. Moreover, an ontology was done for Participa.br, based in the OPS: the OPa²⁹ (Ontology of Participa.br). This is confluent with the presidential Decree that establishes a policy and commitment for social participation³⁶. In this context, presidential, ministerial and academic parties started formalizing current legal participatory mechanisms (e.g. conferences, councils, forums, public consultations, round tables) in ontological terms, which resulted in the Social Library Ontology (OBS from the Brazilian name Ontologia da Biblioteca Social) and the Social Library Vocabulary (VBS from the Brazilian name Vocabulário da Biblioteca Social). Hosting ontologies on Webprotege³⁷ have become central, as a way to share specific ontologies in a friendly environment and to collect observations.

A. Further work

Further work involves observing community manifestations about OPS and this article, accomplishing use by means of formal instances and civil society, and studying upper ontologies usage with OPS. The use of OPS (or a variant) in different instances is being tackled for the creation of social participation indicators and easing participation processes.

Academic texts dedicated to each new participation ontology created (OCD, OBS, Ontologiaa, OPa) should be written and submitted to peer review for enhancements and quality assurance²⁹.

Data related to these ontologies were found in relational databases and preliminary scripts were written to make them available as RDF. A sound linkage of this data and incorporation to the Linked Open Data (LOD³⁸) cloud is planned for a near future. This should make Brazilian participatory structures and data part of the Giant Global Graph³⁹.

ACKNOWLEDGMENTS

This article is deeply influenced by Protege and BFO documentation. Authors thank community and researchers related to these projects^{28,40}. Authors thank Corais Platform maintainers for their efforts in delivering a collaborative platform which gave birth to VCPS documentation. Renato Fabbri is grateful to CNPq (process 140860/2013-4, project 870336/1997-5), PNUD/ONU (contract 2013/00056, project BRA/12/018), SNAS/SG-PR, and the Postgraduate Committee of the IFSC/USP.

Appendix A: Restrictions in VCPS and initial OPS which were removed for the time being

These restrictions were part of VCPS documentation, but not implemented in VCPS OWL code:

- Restriction: `ops:Role ops:hasParticipationCharacteristic some ops:ParticipationCharacteristic.`
- Restriction: `ops:Results ops:composesSolution some ops:Solution.`
- Restriction: `ops:Problem ops:generatesCause some ops:Cause.`

Present in preliminary OPS implementation, all restrictions were removed from current OPS as explained in Section III A.

TABLE IV. Restrictions of the OPS (Ontology of Social Participation). All OPS restrictions are existential (`owl:someValuesFrom`).

subject	predicate	object
Initiator	starts	Cause
Supporter	supports	Cause
Executer	executes	Action
Solution	solves	Problem
SocialActor	hasRole	Role
Action	produces	Results
Result	contributesTo	Solution
Cause	action	Action
Action	belongsTo	Scope
Cause	theme	Theme
Cause	proposes	Solution
Problem	generates	Cause

Such OWL restrictions are valid, to the best of chances, for the final state of a participatory process (for example, in an arbitrary snapshot, a **SocialActor** may be not tied to a role). This might lead to NULL or “not yet defined” field supplies. Also, in VCPS, existential restrictions were written as “min 1”. These were changed to the standard “some” existential restriction in preliminary OPS and were completely removed afterwards, as a way to avoid making OPS usage rigid and more complicated.

Appendix B: Public consultation

Public consultations have core importance in participatory democracy and the model in Figure 7 was conceived as part of VCPS community documentation. An OWL implementation of such public consultation was meant to be developed and made public, with dedicated attention. Considerations of this public consultation with respect to the OPS and formal existent instances was envisioned as well. This public consultation model is observed here for completeness of exposition and further details goes beyond the scope of this article. A public consultations along the lines of a recent Presidential decree³⁶ was formalized in OBS OWL and in VBS SKOS²⁹.



FIG. 7. A diagram representation of a general public consultation, part of initial VCPS documentation. Further context of this image is in Appendix B.

Appendix C: OWL code of the Ontology of Social Participation

```

71     snap:MaterialEntity ,
72     foaf:Person .
73
74 ops:Problem a rdfs:Class ,
75     owl:Class ;
76     rdfs:label "Problem"@en ,
77     "Problema"@es ,
78     "Problema"@pt ;
79     rdfs:comment "the problem that the Action aims to
80     solve"@en ;
81     rdfs:subClassOf snap:IndependentContinuant .
82
83 ops:Result a rdfs:Class ,
84     owl:Class ;
85     rdfs:label "Result"@en ,
86     "Resultado"@es ,
87     "Resultado"@pt ;
88     rdfs:comment "the result obtained with Action"@en ;
89     rdfs:subClassOf snap:DependentContinuant .
90
91 ops:Scope a rdfs:Class ,
92     owl:Class ;
93     rdfs:label "Scope"@en ,
94     "Ambito"@es ,
95     "Escopo"@pt ;
96     rdfs:comment "the scope of Action"@en ;
97     rdfs:subClassOf snap:DependentContinuant .
98
99 ops:SocialActor a rdfs:Class ,
100     owl:Class ;
101     rdfs:label "Social Actor"@en ,
102     "Actor Social"@es ,
103     "Ator Social"@pt ;
104     rdfs:comment "entity that might have a
105     participatory role"@en ;
106     rdfs:subClassOf snap:MaterialEntity .
107
108 ops:Solution a rdfs:Class ,
109     owl:Class ;
110     rdfs:label "Solution"@en ,
111     "Solución"@es ,
112     "Solução"@pt ;
113     rdfs:comment "solution achieved with Action"@en ;
114     rdfs:subClassOf snap:DependentContinuant .
115
116 ops:Supporter a rdfs:Class ,
117     owl:Class ;
118     rdfs:label "Supporter"@en ,
119     "Apoiador"@es ,
120     "Apoiador"@pt ;
121     rdfs:comment "supports cause with resources of any
122     kind (e.g. cognitive, financial, equipments)"
123     @en ;
124     rdfs:subClassOf ops:SocialActor ,
125     snap:MaterialEntity .
126
127 ops:Theme a rdfs:Class ,
128     owl:Class ;
129     rdfs:label "Theme"@en ,
130     "Tema"@es ,
131     "Tema"@pt ;
132     rdfs:comment "the theme in focus by Action"@en ;
133     rdfs:subClassOf snap:IndependentContinuant .
134
135 ops:action a rdf:Property ,
136     owl:ObjectProperty ;
137     rdfs:label "action"@en ,
138     "acción"@es ,
139     "ação"@pt .
140
141 ops:belongsTo a rdf:Property ,
142     owl:ObjectProperty ;
143     rdfs:label "belongs to"@en ,
144     "pertence al"@es ,
145     "pertence ao"@pt ;
146     rdfs:range ops:Scope .
147
148 ops:contributesTo a rdf:Property ,
149     owl:ObjectProperty ;
150     rdfs:label "contributes to"@en ,
151     "contribuye a la"@es ,
152     "contribui para"@pt .
153
154 @prefix foaf: <http://xmlns.com/foaf/0.1/> .
155 @prefix ops: <http://purl.org/socialparticipation/ops/> .
156 @prefix owl: <http://www.w3.org/2002/07/owl#> .
157 @prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-
158 ns#> .
159 @prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
160 @prefix snap: <http://www.ifomis.org/bfo/1.1/snap#> .
161 @prefix span: <http://www.ifomis.org/bfo/1.1/span#> .
162 @prefix xml: <http://www.w3.org/XML/1998/namespace> .
163 @prefix xsd: <http://www.w3.org/2001/XMLSchema#> .
164
165 ops:Action a rdfs:Class ,
166     owl:Class ;
167     rdfs:label "Action"@en ,
168     "Acción"@es ,
169     "Ação"@pt ;
170     rdfs:comment "what is done in terms os social
171     participation"@en ;
172     rdfs:subClassOf span:ProcessualEntity .
173
174 ops:Cause a rdfs:Class ,
175     owl:Class ;
176     rdfs:label "Cause"@en ,
177     "Causa"@es ,
178     "Causa"@pt ;
179     rdfs:comment "the motivation for Action"@en ;
180     rdfs:subClassOf snap:IndependentContinuant .
181
182 ops:Executor a rdfs:Class ,
183     owl:Class ;
184     rdfs:label "Executor"@en ,
185     "Ejecutor"@es ,
186     "Executor"@pt ;
187     rdfs:comment "performs action directly and is
188     responsible for results"@en ;
189     rdfs:subClassOf ops:SocialActor ,
190     snap:MaterialEntity .
191
192 ops:Initiator a rdfs:Class ,
193     owl:Class ;
194     rdfs:label "Initiator"@en ,
195     "Iniciador"@es ,
196     "Iniciador"@pt ;
197     rdfs:comment "originates cause, individually or
198     collaboratively"@en ;
199     rdfs:subClassOf ops:SocialActor ,
200     snap:MaterialEntity .
201
202 ops:Organization a rdfs:Class ,
203     owl:Class ;
204     rdfs:label "Organization"@en ,
205     "Organización"@es ,
206     "Organização"@pt ;
207     rdfs:comment "social actor is a group of
208     individuals, organized formally or informally
209     (e.g. movements, collectives)"@en ;
210     rdfs:subClassOf ops:SocialActor ,
211     snap:MaterialEntity ,
212     foaf:Organization ;
213     owl:disjointWith ops:Person .
214
215 ops:ParticipationCharacteristic a rdfs:Class ,
216     owl:Class ;
217     rdfs:label "Participation Characteristic"@en ,
218     "Característica de Participación"@es ,
219     "Característica de Participação"@pt ;
220     rdfs:comment "the way the participation of specific
221     actor is happening"@en ;
222     rdfs:subClassOf snap:DependentContinuant .
223
224 ops:Person a rdfs:Class ,
225     owl:Class ;
226     rdfs:label "Person"@en ,
227     "Persona"@es ,
228     "Pessoa"@pt ;
229     rdfs:comment "a person (social actor is a person)"
230     @en ;
231     rdfs:subClassOf ops:SocialActor ,

```

Appendix D: Original diagram of VCPS

Although deprecated, Figure 8 is the basis of VCPS and OPS. It is displayed here for completeness of exposition and as support for discussions within this article.

```

150 ops:executes a rdf:Property,
151     owl:ObjectProperty ;
152     rdfs:label "executes"@en,
153     "ejecuta"@es,
154     "executa"@pt .
155
156 ops:generates a rdf:Property,
157     owl:ObjectProperty ;
158     rdfs:label "generates"@en,
159     "genera"@es,
160     "gera"@pt .
161
162 ops:ops.owl a owl:Ontology ;
163     rdfs:label "OPS"^^xsd:string,
164     "Social Participation Ontology"@en,
165     "Ontología de la participación social"@es,
166     "Ontologia de Participação Social"@pt ;
167     rdfs:comment "Social Participation Ontology headed
168     by Cidade Democrática, Brazilian Federal
169     Government and Corais Platform, in direct
170     collaboration with dozens of actors throughout
171     latin america"@en,
172     "Ontología de Participación Social conducida
173     por el Cidade Democrática, el Gobierno
174     Federal de Brasil y la Plataforma Corais,
175     en colaboración directa con docenas de
176     actores en toda América Latina"@es,
177     "Ontologia de Participação Social capitaneada
178     pelo Cidade Democrática, Governo Federal
179     Brasileiro e Plataforma Corais, em
180     colaboração direta com dezenas de agentes
181     de toda américa latina"@pt ;
182
183     rdfs:seeAlso <http://purl.org/socialparticipation/
184     aa>,
185     <http://purl.org/socialparticipation/obs>,
186     <http://purl.org/socialparticipation/ocd>,
187     <http://purl.org/socialparticipation/opa>,
188     <http://purl.org/socialparticipation/vbs> ;
189     owl:versionInfo "0.02"^^xsd:string .
190
191 ops:produces a rdf:Property,
192     owl:ObjectProperty ;
193     rdfs:label "produces"@en,
194     "produce"@es,
195     "produz"@pt .
196
197 ops:proposes a rdf:Property,
198     owl:ObjectProperty ;
199     rdfs:label "proposes"@en,
200     "propone"@es,
201     "propõe"@pt .
202
203 ops:solves a rdf:Property,
204     owl:ObjectProperty ;
205     rdfs:label "solves"@en,
206     "resuelve"@es,
207     "soluciona"@pt .
208
209 ops:starts a rdf:Property,
210     owl:ObjectProperty ;
211     rdfs:label "starts"@en,
212     "inicia"@es,
213     "inicia"@pt .
214
215 ops:supports a rdf:Property,
216     owl:ObjectProperty ;
217     rdfs:label "supports"@en,
218     "apoya"@es,
219     "apoia"@pt .
220
221 ops:theme a rdf:Property,
222     owl:ObjectProperty ;
223     rdfs:label "theme"@en,
224     "tema"@es,
225     "tema"@pt ;
226     rdfs:range ops:Theme .
227
228 ops:trait a rdf:Property,
229     owl:ObjectProperty ;
230     rdfs:label "trait"@en,
231     "rasgo"@es,
232     "traço"@pt .

```

Ontology of social participation

3




FIG. 8. Original VCPS diagram. Although there were substantial OWL modifications from VCPS to OPS, the main difference in the diagram is that the class `Role` was removed, as a “Role” is not able to start, execute or support anything. That is done by the “Social Actor”, as exposed in Figure 2.

Appendix E: Script for constructing current OPS

Preliminary OPS was done with Protégè software⁴⁰. Current OPS is the output of a Python script⁴¹. Actually, this article, latex files, the OWL code, the Pythonscript and auxiliary files are in a public git repository⁴², as is the common practice of the first author of this article.

Appendix F: Glossary of terms, acronyms and abbreviations

The subjects involved in this article have numerous jargons, acronyms and abbreviations. Table V should help readers as a concise references.

- ¹R. T. Khasawneh and E. Abu, “E-government and social media sites: The role and impact,” *World Journal of Computer Application and Technology* **1**, 10–17 (2013).
- ²E. Turner, “New movements, the digital revolution and social movement theory: Five propositions concerning new forms of internet mobilisation,” in *20th International Conference of Europeanists-Crisis & Contingency: States of (In) Stability* (Ces, 2013).
- ³“Digital revolution.”
- ⁴Y. H. Kim, “Book review: The creative destruction of medicine: how the digital revolution will create better healthcare,” *Journal of Gynecologic Oncology* **24**, 98 (2013).
- ⁵M. Pita and G. Paixao, “Arquitetura de busca semântica para governo eletrônico,” in *II Workshop de Computação Aplicada em Governo Eletrônico & Congresso da Sociedade Brasileira de Computação, Belo Horizonte* (2010).
- ⁶A. Barros, D. R. CANABARRO, and M. CEPIK, “Para além da e-ping: o desenvolvimento de uma plataforma de interoperabilidade para e-serviços no brasil,” *Panorama da Interoperabilidade*. Brasília: Ministério do Planejamento, Orçamento e Gestão, 137–157 (2010).
- ⁷D. Sarantis and D. Askounis, “Knowledge exploitation via ontology development in e-government project management,” *International Journal of Digital Society* **1**, 246–255 (2010).
- ⁸D. Allemang and J. Hendler, *Semantic web for the working ontologist: effective modeling in RDFS and OWL* (Access Online via Elsevier, 2011).
- ⁹T. Gruber, “Ontology.” (2009).
- ¹⁰P. Hitzler, M. Krotzsch, B. Parsia, P. F. Patel-Schneider, and S. Rudolph, “Owl 2 web ontology language primer,” (online) (2012).
- ¹¹“Platform for open development of common ontology of social participation, with more than a hundred contributors, half brazilians, half from colombia, mexico, chile, ecuador, peru and paraguay,” <http://corais.org/vocabulariodaparticipacao/> (),

- accessed: 2013-10-21.
- ¹²“Brazilian federal portal of open data,” <http://dados.gov.br/>, accessed: 2013-12-08.
- ¹³“Brazilian federal social participation portal,” <http://participa.br/>, accessed: 2013-12-08.
- ¹⁴R. B. de Luna, “Metodologia de trabalho comentada e publicada!” <http://corais.org/vocabulariodaparticipacao/node/76734> (2013).
- ¹⁵“Open government partnership: a multilateral initiative that aims to secure concrete commitments from governments to promote transparency, empower citizens, fight corruption, and harness new technologies to strengthen governance,” <http://www.opengovpartnership.org/country/brazil>, accessed: 2013-12-08.
- ¹⁶H. P. P. F. I. L. S. R. A. P. M. e. R. B. d. L. Dalton Martins, Frederico Bortolato, “Modelagem conceitual publicada! verso 0.1 em linguagem natural,” <http://corais.org/vocabulariodaparticipacao/node/76730> (2013).
- ¹⁷Corais platform page with many images: <http://corais.org/vocabulariodaparticipacao/node/1517>.
- ¹⁸“Owl code of the common vocabulary of social participation (vcps),” <http://goo.gl/AtrBwF> (), accessed: 2015-01-10.
- ¹⁹“Online blog of the common vocabulary of social participation,” corais.org/vocabulariodaparticipacao/blog (), accessed: 2014-02-06.
- ²⁰“Etherpads used in elaboration of the comon vocabulary of social participation,” <http://corais.org/vocabulariodaparticipacao/texts>, accessed: 2013-11-06.
- ²¹B. Tomlinson, J. Ross, P. Andre, E. Baumer, D. Patterson, J. Corneli, M. Mahaux, S. Nobarany, M. Lazzari, B. Penzenstadler, *et al.*, “Massively distributed authorship of academic papers,” in *CHI’12 Extended Abstracts on Human Factors in Computing Systems* (ACM, 2012) pp. 11–20.
- ²²“Electronic government repository of vocabularies and ontologies,” <http://vocab.e.gov.br/>, accessed: 2013-12-08.
- ²³D. Binkley, M. Davis, D. Lawrie, and C. Morrell, “To camelcase or under_score,” in *Program Comprehension, 2009. ICPC’09. IEEE 17th International Conference on* (IEEE, 2009) pp. 158–167.
- ²⁴“Complete owl implementation of the common vocabulary of social participation with standard class and property names and with missing classes, properties and restrictions. webprotege interface to the ontology.” <http://goo.gl/Ckd017> (), accessed: 2013-11-06.
- ²⁵F. B. H. P. P. F. I. L. S. R. A. P. M. e. R. B. d. L. Renato Fabbri, Dalton Martins, “Ops owl code,” <https://github.com/ttm/ops/blob/master/rdf/ops.owl> and <https://github.com/ttm/ops/blob/master/rdf/ops.ttl> (2015).
- ²⁶F. B. H. P. P. F. I. L. S. R. A. P. M. e. R. B. d. L. Renato Fabbri, Dalton Martins, “Ops owl code within webprotege,” <http://goo.gl/Q66JRA> (2015).
- ²⁷D. Brickley and L. Miller, “Foaf vocabulary specification 0.98,” Namespace document **9** (2010).
- ²⁸R. Arp and B. Smith, “Function, role, and disposition in basic formal ontology,” *Nature Preceedings* , 1–4 (2008).
- ²⁹*Product 5 of UNDP/UN consultancy by Renato Fabbri, showcasing OPA, Ontologiaa, OCD, OBS and VBS*, <https://github.com/ttm/pnud4/blob/master/latex/produto.pdf?raw=true>.
- ³⁰M. Rodriguez-Muro and D. Calvanese, “Quest, an owl 2 ql reasoner for ontology-based data access,” *OWLED 2012* (2012).
- ³¹R. Fabbri, “Expanded version of OPS,” <http://goo.gl/ercNGy> (), accessed: 2013-11-06.
- ³²*Produto 6 da consultoria PNUD/ONU de Paulo Meirelles e Fernando Cruz*, https://github.com/ttm/tese/blob/master/bib/sgr/pnud_fwcruz_pmeirelles_produto06_vfinal.docx?raw=true.
- ³³“Serpro using OPS,” <http://tinyurl.com/m93bd39>, accessed: 2013-11-06.
- ³⁴R. B. de Luna, “VCPS Facebook post,” <https://www.facebook.com/rodrigobandeira01/posts/10152022880093236>, accessed: 2015-01-10.
- ³⁵N. Silva, “OPS email post,” <http://goo.gl/E52K1G>, accessed: 2015-01-10.
- ³⁶M. C. Delduque, S. G. Dallari, and S. M. C. Alves, “Executive order n. 8,243 and the brazilian national policy for social participation: impacts on health,” *Cadernos de Saúde Pública* **30**, 1812–1814 (2014).
- ³⁷T. Tudorache, J. Vendetti, and N. F. Noy, “Web-protege: A lightweight owl ontology editor for the web.” in *OWLED*, Vol. 432 (2008).
- ³⁸C. Bizer, T. Heath, and T. Berners-Lee, “Linked data-the story so far,” *International journal on semantic web and information systems* **5**, 1–22 (2009).
- ³⁹T. Berners-Lee, “Giant global graph,” *Decentralized Information Group Breadcrumbs* , 6–11 (2007).
- ⁴⁰M. Horridge, “Review of protege and protege-owl,” *Ontogenesis* (2010).
- ⁴¹R. Fabbri, “Python script to construct OPS OWL code,” <https://github.com/ttm/ops/blob/master/scripts/ops.py> (), accessed: 2015-01-10.
- ⁴²“Git repository for OPS and related resources: article, script, OWL files, images, etc.” <https://github.com/ttm/ops>, accessed: 2015-01-10.

TABLE V. Glossary for current article

term	meaning	further information
AA	Algorithmic Autoregulation	a platform for personal transparency, sharing ongoing work and proving dedication
BFO	Basic Formal Ontology	an upper ontology supporting information retrieval, analysis and integration in scientific and other domains
Cidade Democrática	a Brazilian civil society participatory portal	-//-
DBpedia	DBpedia is a crowd-sourced community effort to extract structured information from Wikipedia	consists of an ontological organization and data
Etherpad	a web-based collaborative real-time editor, allowing authors to simultaneously edit a text document	-//-
Facebook	an online social networking service	-//-
FOAF	Friend Of A Friend	an ontology devoted to linking people and information using the Web, FOAF is a core ontology of the web semantic/linked data academic community
HTML	HyperText Markup Language	the standard markup language used to create Web pages
HTTP	Hypertext Transfer Protocol	an application protocol for distributed, collaborative, hypermedia information systems. It is the foundation of data communication for the World Wide Web
ICT	Information and communications technology	often used as an extended synonym for information technology (IT)
IRI	Internationalized Resource Identifier	a new internet standard to extend upon the existing uniform resource identifier (URI) scheme, where IRIs are always utf-8
LOD	Linked Open Data	a human legacy of open and linked data
MySQL	a widely used open-source relational database management system	-//-
NGO	Non-Governmental Organization	a term commonly used for an organization that is neither a part of a government nor a conventional for-profit business
Node.js	an open source, cross-platform runtime environment for server-side and networking applications	applications are written in JavaScript
OBDA	Ontology-Based Database Access	a general term for accessing databases through ontological criteria
OBS	Social Library Ontology	from the Brazilian name <i>Ontologia da Biblioteca Social</i>
OCD	Cidade Democrática Ontology	from the Brazilian name <i>Ontologia do Cidade Democrática</i>
OGP	Open Government Partnership	an international organization promoting multilateral initiative and seeking strong commitments from participating government institutions to promote transparency, increase civic participation, fight corruption, and harness new technologies to make government more open, effective, and accountable
Ontologiaaa	AA Ontology.	the name is a derivative from the Brazilian “ <i>Ontologia do AA</i> ”. It is small, simple and entirely linked to upper ontologies (classes and properties)
OnTop	a platform to query databases as virtual RDF graphs using sparQL	-//-
OPa	Participa.br Ontology	from the Brazilian name <i>Ontologia do Participa.br</i>
OPS	Ontology of Social Participation	Acronym from the Brazilian name: <i>Ontologia de Participação Social</i>
OWL	Web Ontology Language	for authoring ontologies
Participa.br	the Brazilian federal participatory portal	-//-
Pubby	A Linked Data Front-end for dereferencing URIs	-//-
Python	a widely used general-purpose, high-level programming language	known as an easy scripting language among researchers, developers and hackers
Quest	the sparQL engine/reasoner that comes with OnTop	-//-
RDF	Resource Description Framework	a standard model for data interchange on the Web
Serpro	Brazilian Federal Service of Data Processing	the biggest government-owned corporation of IT services of Brazil
SKOS	Simple Knowledge Organization System	a w3Crecommendation designed for representation of thesauri, classification schemes, taxonomies, subject-heading systems
sparQL	sparQL Protocol and RDF Query Language	an RDF query language
UN	United Nations	an intergovernmental organization to promote international cooperation
UNDP	United Nations Development Programme	the United Nations’ global development network
URL	Uniform Resource Locator	also known as a web address, particularly when used with HTTP
VBS	Social Library Vocabulary	from the Brazilian name <i>Vocabulrio da Biblioteca Social</i>
VCPS	Common Vocabulary of Social Participation	Acronym from the Brazilian <i>Vocabulário Comum de Participação Social</i>
W3C	World Wide Web Consortium	the main international standards organization for the World Wide Web